Flat Panel VMT
Natural Stones & Natural Woods

1190X595x20mm
Installation Manual

VICOUSTIC

☑ MATERIAL NEEDED

Included

Not Included

Level

Measuring Tape   Box Cutter

V/COUSTIC

Flexi Glue Ultra

Flat Panel VMT x8

Velcro Stripes x16

Installation Option

1   2   3   4   5   6   7   8

1   2   3   4

8   7   6   5

Partial wall installation

You can also use this method to install this product on the ceiling.

1

Velcro Stripes

1

2

1   2

3

3

1   2

4

## Full wall installation

*You can also use this method to install this product on the ceiling.

**1** Measure wall height in both sides. Take the smallest height.

2 Based on the smallest height, calculate if it is necessary to cut one of the panels to fill the entire wall height. Check for continuity between panels before cutting.

3 Glue the Velcro tape in the wall. It is recommended to use 2 stripes of Velcro per panel (included). You can also glue the panels directly to the wall with Flexi Glue Ultra

4 Start the installation from the bottom-right side (If cuted panels are going to be used it is recommended to start with these). Check if panels are leveled before proceding to next row.

B

A

5 Install the remaining panels.

6 VMT boards can be installed vertically or horizontally, depending on the pattern and desired orientation.

V/COUSTIC

INNOVATIVE ACOUSTIC SOLUTIONS